

Centrifuge

Mini Centrifuge

- Ideal for microfiltration and quick spin-downs.
- Easy-to use with dual start/stop function.
- Compatible with 2mL x 8 and PCR 8 x 2 rotors.
- Rotor change without tools.
- Accelerates and brakes in seconds.
- Four colours available, green, blue, yellow and pink, add colour to your routine laboratory life.

Specification

Max. Speed	: 7000 RPM
Max. RCF	: 2680xg
Noise level	: ≤45 dB
Run Time	: Continuous operation
Driving Motor	: DC motor
Power	: AC 110 - 240 V/ 50 Hz / 60 Hz
Rotor Capacity	: 0.2/0.5/1.5/2.0mLx8; 0.2mLx16 PCR strips or 0.2mLx2 PCR 8 strips
Dimensions	: 160 x 170 x 122
Weight	: 0.5kg
Certification	: CE



Vortex Mixer

Vortex Mixer

- Touch operation or Continuous mode.
- Variable speed control from 0 to 2500rpm.
- Used for various mixing applications with optional adapters.
- Specially design vacuum suction feet for body stable.
- Robust aluminium - cast construction.

Specification

Voltage	: 110 - 120V / 220 - 230V, 50/60 Hz
Power	: 60W
Speed	: 0-2500rpm
Mixing Motion	: Orbital
Run type	: Touch operation / : Continuous
Motor type	: Shaded pole motor
Orbital diameter	: 4mm
Motor rating input	: 58W
Motor rating output	: 10W



NOTE : Technical specifications & Design are subject to change without prior notice, due to continuous up gradation.